

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<u>L32</u>	((instruction\$1 or command\$3) and (enabl\$3 or disabl\$3) and (first or second or next or preceding or subsequent or previous\$3) and (pulse) and transfer\$6 near5 request\$3 and self near3 synchron\$7 and (count\$3 or number)).clm.	1	<u>L32</u>
<u>L31</u>	((enabl\$3 or disabl\$3) and (first or second or next or preceding or subsequent or previous\$3) and (pulse) and transfer\$6 near5 request\$3 and self near3 synchron\$7 and (count\$3 or number)).clm.	1	<u>L31</u>
<u>L30</u>	((first or second or next or preceding or subsequent or previous\$3) and (pulse) and transfer\$6 near5 request\$3 and self near3 synchron\$7 and (count\$3 or number)).clm.	3	<u>L30</u>
<u>L29</u>	((pulse) and transfer\$6 near5 request\$3 and self near3 synchron\$7 and (count\$3 or number)).clm.	3	<u>L29</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L28</u>	(disabl\$3 or enabl\$5) near12 (instruction\$1 or command\$3) and request\$3 near5 (pulse\$1) near8 transfer\$5	28	<u>L28</u>
<u>L27</u>	(disabl\$3 or enabl\$5) near12 (instruction\$1 or command\$3) request\$3 near5 (pulse\$1) near8 transfer\$5and	67770	<u>L27</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>			
<u>L26</u>	16 and 110	0	<u>L26</u>
<u>L25</u>	16 and 19	1	<u>L25</u>
<u>L24</u>	16 and 18	0	<u>L24</u>
<u>L23</u>	16 and 17	2	<u>L23</u>
<u>L22</u>	13 and 110	0	<u>L22</u>
<u>L21</u>	13 and 19	0	<u>L21</u>
<u>L20</u>	13 and 18	0	<u>L20</u>
<u>L19</u>	13 and 17	2	<u>L19</u>
<u>L18</u>	15 and 110	5	<u>L18</u>
<u>L17</u>	15 and 19	95	<u>L17</u>
<u>L16</u>	15 and 18	2	<u>L16</u>
<u>L15</u>	15 and 17	150	<u>L15</u>
<u>L14</u>	11 and 110	0	<u>L14</u>
<u>L13</u>	11 and 19	1	<u>L13</u>
<u>L12</u>	11 and 18	0	<u>L12</u>
<u>L11</u>	11 and 17	6	<u>L11</u>
<u>L10</u>	(710/33-34)[CCLS]	814	<u>L10</u>
<u>L9</u>	(713/501-601)[CCLS]	2519	<u>L9</u>
<u>L8</u>	(712/20-22,225, 227)[CCLS]	962	<u>L8</u>
<u>L7</u>	(712/2-300)[CCLS]	11756	<u>L7</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L6</u>	L5 and request\$3 near5 (pulse\$1) near8 transfer\$5	18	<u>L6</u>

<u>L5</u>	L4 and l2	5964	<u>L5</u>
<u>L4</u>	(second or two or plur\$7 or multiple or multi) near4 pulse\$1	228265	<u>L4</u>
<u>L3</u>	L2 and l1	17	<u>L3</u>
<u>L2</u>	(disabl\$3 or enabl\$5) near12 (instruction\$1 or command\$3)	67770	<u>L2</u>
<u>L1</u>	(self near1 synchron\$7 or asynchron\$7) and request\$3 near5 (pulse\$1) near8 transfer\$5	69	<u>L1</u>

END OF SEARCH HISTORY

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((request" <near/6> transfer" <and> synchron")<in>metadata))<and>((cou..."

e-mail

Your search matched 1 of 12 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [Search Options](#)[View Session History](#)[New Search](#)[Modify Search](#) ☐ Check to search only within this results set» [Key](#)Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**1. Optimum packet size and throughput of TCP-IP traffic over wireless ATM links**

Ha Cheol Lee; Byung Seub Lee;
Telecommunications Network Strategy and Planning Symposium. NETWORKS 2004, 11th Internal
13-16 June 2004 Page(s):255 - 258
Digital Object Identifier 10.1109/NETWKS.2004.1341853
[AbstractPlus](#) | Full Text: [PDF](#) (308 KB) [IEEE CNF](#)

Indexed by
[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE